



Descripción:

CONSTRUCCIÓN: Nylón con recubrimiento PU en la palma.

TEJIDO: Nylon 100%

RECUBRIMIENTO: Poliuretano

CERTIFICACIÓN: Conforme a CE EN388

RESISTENCIA A LA ABRASIÓN: Nivel 4

RESISTENCIA AL CORTE: Nivel 1

RESISTENCIA AL RASGADO: Nivel 3

RESISTENCIA A LA PUNZADURA: Nivel 1

Presentación:

Unidad de empaque: 12 pares

Caja master: 120 UND

Presentación individual: Etiqueta de cartón

Peso: 50 gr

Longitud: 225 mm -265 mm

Color: Negro

Talla 7 Adulto, código: NS1700110

Talla 8 Adulto, código: NS1700111

Talla 9 Adulto, código: NS1700112


Talla 10 Adulto, código: NS1700113

Características y usos:

Puño cerrado ajustable, con palma cubierta de poliuretano sin costura. Máxima destreza, confort, agarre y reducción de la transpiración. Disminuye el riesgo de contaminación de producto. Excelente para manejo de electrónica, automovilismo y de inspección de producto, garantizando un buen agarre para trabajar en superficies secas, húmedas o grasosas.



CE EN388



4131



Notified body N° 0075

EC-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

Certificate N°

0075/1182/162/07/14/0572

Is given to the following model of personal protective equipment :

Issued to :

Distributor :

Product reference : PU1001K

Description :

PPE Type : Protective gloves against mechanical risks.

Reference standard : EN 388 : 2003.

Category : II

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate N°0075/1182/162/07/14/0572.

Issued in Lyon by Lionel Gaudillere
Head of CE marking

Date of issue : July 1st, 2014



In application of the Directive ref 89/686/EEC of the 21th December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decree N°92-765, 766 and 768 of the 29th July 1992 concerning the transposition of this Directive into French law. CTC is notified by decree of the Ministry of work of the 20th December 2010 and is registered under the number 0075 in OJEU.



4 rue Hermann Frenkel 69367 Lyon cedex 07 FRANCE
Tel : 33.472.761.010 - Fax : 33.472.761.000 - email : ctclyon@ctcgroup.com - www.ctc.fr
Comité professionnel de développement économique cuir chaussure maroquinerie
Siret 77564972600160 - code NAF 9412Z - TVA FR 88775649726





In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgrroupe.com - www.ctc.fr

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,
registered under the number 0075, published in OJEC, delivers :

EC-TYPE EXAMINATION CERTIFICATE 0075/1182/162/07/14/0572

To the following model of personal protective equipment :

- * reference of the model : PU1001K
- * protective glove against mechanical risks.
- * Manufacturer :

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on July 1st, 2014

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01
 Reference : PU1001K
 Basic Model
 Dated : JULY, 2014

13 gauge black polyester, palm coating black PU .

Available sizes :

6 7 8 9 10 11

Visual description :



Material :

	Color	Material	Gauges	Thickness
PALM	black	PU		
	black	polyester	13	
BACK	black	polyester	13	
LINING				
CUFF	black	polyester	13	
BINDING	purple, red, yellow, brown, black, blue	polyester		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

This product is a category II.

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC	Other
EN 420	SH60914-13, SH61237-13	
Azo	SH60914-13	
EN 388	SH60914-13, SH61330-13	
OTHER	SH60914-13 (DMFu, Tin, Cad)	

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	3	1

The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: PU1001K
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:

PU1001K SIZE: 10"



MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	PU1001K
Technical file index	:	01
Last update	:	JULY, 2014

IDENTIFICATION

Reference of the product :	:	PU1001K
Basic model		
Technical file index :	:	01
Last update :	:	JULY, 2014

Manufacturer :

Factory :

GLOVE DESCRIPTION

Glove description :

13 gauge black polyester, palm coating black PU .

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
220	6
230	7
240	8
250	9
260	10
270	11

Glove constitution :

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
PALM		black	PU	50g/m2		
		black	polyester	280g/m2	13	
BACK		black	polyester	280g/m2	13	
LINING						
CUFF		black	polyester	280g/m2	13	
BINDING		purple, red, yellow, brown, black, blue	polyester			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 5
PH of glove and lining is greater than 3.5 and lower than 9.5 : yes
Chromium VI lower than the detection limit : conform
Size : conform

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	3
Puncture resistance	1

The levels of performance have been measured on the palm

TEST REPORTS

Laboratory	CTC	Other
EN 420	SH60914-13, SH61237-13	
Azo	SH60914-13	
EN 388	SH60914-13, SH61330-13	
OTHER	SH60914-13 (DMFu, Tin, Cad)	

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 


Glove's reference : PU1001K

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

PRINTING ON THE BACK OF GLOVE

Packaging :

12PAIRS/POLYBAG; 240 PAIRS/CARTON

MEANS OF CONTROL

MEANS OF CONTROL

1.Raw materials:

We have the specific person who is in charge of purchasing. They supervise all the purchasing procedure in supplier's site to ensure the quality of raw materials can reach the requirements of EU Directive.

2.Process:

The production is divided by 6 main processes: Knitting, binding, dipping, drying, printing and packaging. 2 supervisors for each process are fixed to do the checking. Daily records and production details are strictly controlled. Every operator has a unique working serial number which will be shown on the products to know who is responsible for the products, then the responsibility will be chased once the problem occurred on products.

3.The management of knitting:

The gloves will be knitted based on the client's requirements. After the gloves are knitted, the surface should be controlled as clean, no dirt, no defect, the finished products are placed separately in accordance with different colors and sizes; each dozen is binded with elastic bands, and sticked with the working serial number.

4.The management of binding:

The binding is done in according with the principle of smooth, straight, compact and threadless. After binding, the redundant thread for each glove has to be cutted in order to make the binding trim and perfect.

5.The management of dipping:

All gloves should be fully encased on the mould, especially in the space of finger, to avoid any interspace between the mould and glove. The operation of dipping is made according to client's requirement. The products must be dipped neither too deep nor too fleet, and the moulds should not be shaken to avoid asymmetric thicknedd dipping material.

6.The management of drying and warming:

In the mass production, the constant temperature of the drying oven must be fixed to avoid the gloves being still wet after drying or over dried to turn yellow. The speed of the mould in the route of drying oven is also fixed to ensure the same quality in each batch.

7.The management of printing:

When doing printing of the client's marking or our own logo on the glove, the printing marking must be clear, trim, and not asymmetric. When the operator doing the printing, the eye sight must keep straight with the position of marking, and the printing mould must be perpendicular with the glove to ensure the quality of printing.

8.The management of packaging:

Packaging is performed in accordance with client's erquirement. We check if the size of the glove and the printing match the specific package before packaging, each glove must be well folded and put in order when packaging. If there is any filtering dipping, sticking dipping or peeling dipping products, they are forbidden to be packed, and the operator's responsibility will be chased by the working serial number shown on the glove. Moreover, regarding the deffernt products for different client, the products will be strictly separate to avoid mixing up. For the different client, even for the same products, we will set up separate groups to handle each client's order. At the same time, the number of packaging is well controlled according to the contract. Less package or more package is forbidden.

INSTRUCTION FOR USE

Glove reference : PU1001K

Available sizes : 6 7 8 9 10 11

Glove description :

13 gauge black polyester, palm coating black PU .

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (OO75)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :



Application :

Mechanical hazard - EN 388



4131

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	3	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)

Protection limit :

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.